


ASSEMBLY INSTRUCTIONS

LIGHT FIXED TABLE (RECTANGULAR OR OVAL) BY MATTHEW HILTON



PARTS

- 1x Tabletop
- 2x Leg frames
- 1x Cross beam

Hardware:

(4x) Universal connector



(8x) M8x40 bolts



(11x) washers
(exception- 9x for 342FS)



(4x) Metal dowel



(3x) M8x60 bolts
(exception- 1x for 342FS)



O
1
M
A
T
T
H
E
E
W
H
I
L
T
O
N

YOU WILL NEED

- 6mm Allen Key
- The help of a friend

NOTES

NOTE 1: Be certain that all assembly is carried out on a flat and stable surface. This will ensure a good final result. Reverse the steps to disassemble the piece.

NOTE 2: Your furniture arrives packed in numerous layers that protect it during transport. It is important that you remove the packaging carefully to avoid damaging your furniture. Refer to our information sheet "Unpacking Your Furniture" for further details.

NOTE 3: Great care is required when assembling our products . Use blankets to soften the assembly surface - hard surfaces such as wood or stone flooring may damage the furniture if in direct contact.

NOTE 4: We advise that assembly and disassembly of De La Espada furniture is undertaken by a minimum of 2 people.

NOTE 5: When screwing in bolts, tighten well, but be sure NOT TO OVERTIGHTEN. This can cause the thread to strip thus resulting in a poor connection.

ASSEMBLY INSTRUCTIONS CONTINUED

LIGHT FIXED TABLE (RECTANGULAR OR OVAL)


NOTE 6: While you work, be sure all connections are flush with no gaps.

NOTE 7: After assembly, ensure that the table is resting on a level surface.

INSTRUCTIONS

1. ATTACH LEGS TO THE CROSS BEAM

a) Insert metal dowels into the holes on the side of the leg frames by screwing them in a clockwise direction until tight.




b) Match the number on each leg frame with the number marking on the tabletop and crossbeam.

c) Attach one leg frame to the cross beam by inserting the metal dowels on the leg into the universal connectors on the crossbeam. Tighten with an Allen Key.

NOTE: The recessed holes for the M8 bolts on the cross beam should face downwards.

Repeat the steps to connect the second leg frame.



0
2
M
A
T
T
H
E
W
H
I
L
E
I
N

ASSEMBLY INSTRUCTIONS CONTINUED


LIGHT FIXED TABLE (RECTANGULAR OR OVAL)

2) ATTACH LEGS AND CROSS BEAM TO TABLETOP

Place the tabletop upside down a clean, soft surface such as blanket or carpet on the floor.

Match the numbers on the leg frames with the number markings on the tabletop.


Align the holes on the cross beam and leg frames with the holes on the tabletop. Insert washers and the M8 bolts (3 long into the cross beam, 8 short into the legs) and tighten with an Allen key.



3) TURN THE TABLE INTO AN UPRIGHT POSITION

With the help of a friend, carefully turn the table over into an upright position, taking care not to place any weight/force on the table legs while turning.

The table is now ready for use.



0
3
M
A
T
T
H
E
W
H
I
L
H
I
C
N